

Fòrids de Catalunya (dípters) - Miguel Carles-Tolrà -
Investigador independent - Octubre de 2023

Taxonomia

Família

Espècie

Phoridae	<i>Anevrina thoracica</i> (Meigen, 1804)
Phoridae	<i>Anevrina unispinosa</i> (Zetterstedt, 1860)
Phoridae	<i>Borophaga agilis</i> (Meigen, 1830)
Phoridae	<i>Borophaga femorata</i> (Meigen, 1830)
Phoridae	<i>Borophaga incrassata</i> (Meigen, 1830)
Phoridae	<i>Borophaga irregularis</i> (Wood, 1912)
Phoridae	<i>Chaetopleurophora spinosissima</i> (Strobl, 1892)
Phoridae	<i>Chonocephalus heymonsi</i> Stobbe, 1913
Phoridae	<i>Conicera dauci</i> (Meigen, 1830)
Phoridae	<i>Conicera floricola</i> Schmitz, 1938
Phoridae	<i>Conicera similis</i> (Haliday, 1833)
Phoridae	<i>Conicera tarsalis</i> Schmitz, 1920
Phoridae	<i>Conicera tibialis</i> Schmitz, 1925
Phoridae	<i>Diplonevra abbreviata</i> (von Roser, 1840)
Phoridae	<i>Diplonevra florea</i> (Fabricius, 1794)
Phoridae	<i>Diplonevra funebris</i> (Meigen, 1830)
Phoridae	<i>Diplonevra glabra</i> (Schmitz, 1927)
Phoridae	<i>Diplonevra irregularis</i> (Wood, 1912)
Phoridae	<i>Diplonevra nitidula</i> (Meigen, 1830)
Phoridae	<i>Diplonevra pachycera</i> (Schmitz, 1918)
Phoridae	<i>Diplonevra unisetalis</i> (Schmitz, 1935)
Phoridae	<i>Dohrniphora cornuta</i> (Bigot, 1857)
Phoridae	<i>Gymnophora arcuata</i> (Meigen, 1830)
Phoridae	<i>Gymnophora integralis</i> Schmitz, 1920)
Phoridae	<i>Megaselia aculeata</i> (Schmitz, 1919)
Phoridae	<i>Megaselia aequalis</i> (Wood, 1909)
Phoridae	<i>Megaselia albicans</i> (Wood, 1908)
Phoridae	<i>Megaselia albicaudata</i> (Wood, 1910)
Phoridae	<i>Megaselia altifrons</i> (Wood, 1909)
Phoridae	<i>Megaselia angusta</i> (Wood, 1909)
Phoridae	<i>Megaselia angustiata</i> Schmitz, 1936
Phoridae	<i>Megaselia annulipes</i> (Schmitz, 1921)
Phoridae	<i>Megaselia arbuciensis</i> García-Romera, 2014
Phoridae	<i>Megaselia barrientosi</i> García-Romera, 2014
Phoridae	<i>Megaselia basispinata</i> (Lundbeck, 1920)
Phoridae	<i>Megaselia berndseni</i> (Schmitz, 1919)
Phoridae	<i>Megaselia bifurcata</i> Disney, 1983
Phoridae	<i>Megaselia bovista</i> (Gimmerthal, 1848)
Phoridae	<i>Megaselia brevicostalis</i> (Wood, 1910)
Phoridae	<i>Megaselia brevior</i> (Schmitz, 1924)
Phoridae	<i>Megaselia brunnea</i> (Schmitz, 1920)
Phoridae	<i>Megaselia callunae</i> García-Romera, 2014
Phoridae	<i>Megaselia campestris</i> (Wood, 1908)

Phoridae	<i>Megaselia capronata</i> Schmitz, 1940
Phoridae	<i>Megaselia carminis</i> García-Romera, 2014
Phoridae	<i>Megaselia cinereifrons</i> (Strobl, 1910)
Phoridae	<i>Megaselia clemonsi</i> Disney, 1984
Phoridae	<i>Megaselia coaetanea</i> Schmitz, 1929
Phoridae	<i>Megaselia collini</i> (Wood, 1909)
Phoridae	<i>Megaselia communiformis</i> (Schmitz, 1918)
Phoridae	<i>Megaselia consetigera</i> (Schmitz, 1925)
Phoridae	<i>Megaselia costalis</i> (Von Roser, 1840)
Phoridae	<i>Megaselia crassipes</i> (Wood, 1909)
Phoridae	<i>Megaselia curvicapilla</i> Schmitz, 1947
Phoridae	<i>Megaselia dahli</i> (Becker, 1901)
Phoridae	<i>Megaselia discreta</i> (Wood, 1909)
Phoridae	<i>Megaselia diversa</i> (Wood, 1909)
Phoridae	<i>Megaselia elongata</i> (Wood, 1914)
Phoridae	<i>Megaselia erecta</i> (Wood, 1910)
Phoridae	<i>Megaselia errata</i> (Wood, 1912)
Phoridae	<i>Megaselia eupygis</i> Schmitz, 1929
Phoridae	<i>Megaselia flava</i> (Fallén, 1823)
Phoridae	<i>Megaselia flavicans</i> Schmitz, 1935
Phoridae	<i>Megaselia frameata</i> Schmitz, 1927
Phoridae	<i>Megaselia frontalis</i> (Wood, 1909)
Phoridae	<i>Megaselia fumata</i> (Malloch, 1909)
Phoridae	<i>Megaselia fuscovariana</i> Schmitz, 1933
Phoridae	<i>Megaselia giraudii</i> (Egger, 1862)
Phoridae	<i>Megaselia glabrifrons</i> (Wood, 1909)
Phoridae	<i>Megaselia halterata</i> (Wood, 1910)
Phoridae	<i>Megaselia hirsuta</i> (Wood, 1910)
Phoridae	<i>Megaselia hirtiventris</i> (Wood, 1909)
Phoridae	<i>Megaselia iberiensis</i> Disney, 1999
Phoridae	<i>Megaselia indifferens</i> (Lundbeck, 1920)
Phoridae	<i>Megaselia infrapospita</i> (Wood, 1909)
Phoridae	<i>Megaselia introlapsa</i> Schmitz, 1937
Phoridae	<i>Megaselia involuta</i> (Wood, 1910)
Phoridae	<i>Megaselia ivanis</i> García-Romera, 2014
Phoridae	<i>Megaselia lacteipennis</i> (Lundbeck, 1920)
Phoridae	<i>Megaselia largifrontalis</i> Schmitz, 1939
Phoridae	<i>Megaselia lata</i> (Wood, 1910)
Phoridae	<i>Megaselia latifrons</i> (Wood, 1910)
Phoridae	<i>Megaselia latior</i> Schmitz, 1936
Phoridae	<i>Megaselia longianalis</i> García-Romera, 2014
Phoridae	<i>Megaselia longicostalis</i> (Wood, 1912)
Phoridae	<i>Megaselia longifurca</i> (Lundbeck, 1921)
Phoridae	<i>Megaselia longipalpis</i> (Wood, 1910)
Phoridae	<i>Megaselia longiseta</i> (Wood, 1909)
Phoridae	<i>Megaselia lucifrons</i> (Schmitz, 1918)
Phoridae	<i>Megaselia lutea</i> (Meigen, 1830)
Phoridae	<i>Megaselia malhamensis</i> Disney, 1986

Phoridae	<i>Megaselia mallochi</i> (Wood, 1909)
Phoridae	<i>Megaselia manicata</i> (Wood, 1910)
Phoridae	<i>Megaselia marekdurskii</i> Disney, 1998
Phoridae	<i>Megaselia marklanei</i> Disney, 2001
Phoridae	<i>Megaselia meconicera</i> (Speiser, 1925)
Phoridae	<i>Megaselia minuta</i> (Aldrich, 1892)
Phoridae	<i>Megaselia monochaeta</i> Strobl, 1892
Phoridae	<i>Megaselia montseniensis</i> García-Romera, 2014
Phoridae	<i>Megaselia nasoni</i> (Malloch, 1914)
Phoridae	<i>Megaselia nectergata</i> Disney, 1999
Phoridae	<i>Megaselia nigra</i> (Meigen, 1830)
Phoridae	<i>Megaselia oxybelorum</i> Schmitz, 1928
Phoridae	<i>Megaselia palmeni</i> (Becker, 1901)
Phoridae	<i>Megaselia pectoralis</i> (Wood, 1910)
Phoridae	<i>Megaselia pectorella</i> Schmitz, 1929
Phoridae	<i>Megaselia pedatella</i> (Schmitz, 1926)
Phoridae	<i>Megaselia pleuralis</i> (Wood, 1909)
Phoridae	<i>Megaselia plurispinulosa</i> (Zetterstedt, 1860)
Phoridae	<i>Megaselia posticata</i> (Strobl, 1898)
Phoridae	<i>Megaselia propinqua</i> (Wood, 1909)
Phoridae	<i>Megaselia pseudogiraudii</i> (Schmitz, 1920)
Phoridae	<i>Megaselia pulicaria</i> (Fallén, 1823)
Phoridae	<i>Megaselia pumila</i> (Meigen, 1830)
Phoridae	<i>Megaselia pusilla</i> (Meigen, 1830)
Phoridae	<i>Megaselia pygmaea</i> (Zetterstedt, 1848)
Phoridae	<i>Megaselia rubella</i> (Schmitz, 1920)
Phoridae	<i>Megaselia rufa</i> (Wood, 1908)
Phoridae	<i>Megaselia ruficornis</i> (Meigen, 1830)
Phoridae	<i>Megaselia rufifrons</i> (Wood, 1910)
Phoridae	<i>Megaselia rufipes</i> (Meigen, 1804)
Phoridae	<i>Megaselia rupestris</i> Schmitz, 1934
Phoridae	<i>Megaselia sarae</i> García-Romera, 2014
Phoridae	<i>Megaselia scutellaris</i> (Wood, 1909)
Phoridae	<i>Megaselia sepulchralis</i> (Lundbeck, 1920)
Phoridae	<i>Megaselia sericata</i> Schmitz, 1935
Phoridae	<i>Megaselia setulipalpis</i> Schmitz, 1938
Phoridae	<i>Megaselia simulans</i> (Wood, 1912)
Phoridae	<i>Megaselia sordida</i> (Zetterstedt, 1838)
Phoridae	<i>Megaselia spinicincta</i> (Wood, 1910)
Phoridae	<i>Megaselia spinigera</i> (Wood, 1908)
Phoridae	<i>Megaselia stichata</i> (Lundbeck, 1920)
Phoridae	<i>Megaselia stigmatica</i> (Schmitz, 1920)
Phoridae	<i>Megaselia striolata</i> Schmitz, 1940
Phoridae	<i>Megaselia styloprocta</i> (Schmitz, 1921)
Phoridae	<i>Megaselia subcarpalis</i> (Lundbeck, 1920)
Phoridae	<i>Megaselia subconvexa</i> (Lundbeck, 1920)
Phoridae	<i>Megaselia subfraudulenta</i> Schmitz, 1933
Phoridae	<i>Megaselia subfuscipes</i> Schmitz, 1935

Phoridae	<i>Megaselia subpalpalis</i> (Lundbeck, 1920)
Phoridae	<i>Megaselia subpleuralis</i> (Wood, 1909)
Phoridae	<i>Megaselia subtumida</i> (Wood, 1909)
Phoridae	<i>Megaselia sulphuripes</i> (Meigen, 1830)
Phoridae	<i>Megaselia superciliata</i> (Wood, 1910)
Phoridae	<i>Megaselia sylvatica</i> (Wood, 1910)
Phoridae	<i>Megaselia tarsalis</i> (Wood, 1910)
Phoridae	<i>Megaselia tenebricola</i> Schmitz, 1934
Phoridae	<i>Megaselia teneripes</i> Schmitz, 1957
Phoridae	<i>Megaselia variana</i> Schmitz, 1926
Phoridae	<i>Megaselia vernalis</i> (Wood, 1909)
Phoridae	<i>Megaselia xanthozona</i> (Strobl, 1892)
Phoridae	<i>Metopina braueri</i> (Strobl, 1880)
Phoridae	<i>Metopina galeata</i> (Haliday, 1833)
Phoridae	<i>Metopina heselhausi</i> Schmitz, 1914
Phoridae	<i>Metopina oligoneura</i> (Mik, 1867)
Phoridae	<i>Metopina perpusilla</i> (Six, 1878)
Phoridae	<i>Microselia espanaensis</i> Disney, 2006
Phoridae	<i>Microselia rivierae</i> Schmitz, 1934
Phoridae	<i>Phalacrotophora fasciata</i> (Fallén, 1823)
Phoridae	<i>Phora atra</i> (Meigen, 1804)
Phoridae	<i>Phora velutina</i> Meigen, 1830
Phoridae	<i>Plectanocnema nudipes</i> (Becker, 1901)
Phoridae	<i>Pseudacteon brevicauda</i> Schmitz, 1925
Phoridae	<i>Puliciphora rufipes</i> Silva Figueroa, 1916
Phoridae	<i>Spiniphora bergenstammi</i> (Mik, 1864)
Phoridae	<i>Triphleba aequalis</i> (Schmitz, 1919)
Phoridae	<i>Triphleba antricola</i> (Schmitz, 1918)
Phoridae	<i>Triphleba autumnalis</i> (Becker, 1901)
Phoridae	<i>Triphleba beatricis</i> García-Romera, 2014
Phoridae	<i>Triphleba bicornuta</i> (Strobl, 1910)
Phoridae	<i>Triphleba distinguenda</i> (Strobl, 1892)
Phoridae	<i>Triphleba flexipalpis</i> Schmitz, 1927
Phoridae	<i>Triphleba inaequalis</i> Schmitz, 1943
Phoridae	<i>Triphleba intempesta</i> (Schmitz, 1918)
Phoridae	<i>Triphleba intermedia</i> (Malloch, 1908)
Phoridae	<i>Triphleba opaca</i> (Meigen, 1830)
Phoridae	<i>Triphleba papillata</i> (Wingate, 1906)
Phoridae	<i>Triphleba trinervis</i> (Becker, 1901)
Phoridae	<i>Triphleba ypsilon</i> Carles-Tolrá & García Romera, 2011