

**Sírfids de Catalunya (dípters) - Miguel Carles-Tolrá -
Investigador independent - Octubre de 2023**

Taxonomia	
Família	Espècie
Syrphidae	<i>Baccha elongata</i> (Fabricius, 1775)
Syrphidae	<i>Brachyopa insensilis</i> Collin, 1939
Syrphidae	<i>Caliprobola speciosa</i> (Rossi, 1790)
Syrphidae	<i>Callicera aenea</i> (Fabricius, 1777)
Syrphidae	<i>Ceriana vespiformis</i> (Latreille, 1804)
Syrphidae	<i>Chalcosyrphus femoratus</i> (Linnaeus, 1758)
Syrphidae	<i>Chalcosyrphus valgi</i> (Lair et al., 2021)
Syrphidae	<i>Chalcosyrphus nemorum</i> (Fabricius, 1805)
Syrphidae	<i>Chalcosyrphus piger</i> (Fabricius, 1794)
Syrphidae	<i>Cheilosia aerea</i> Dufour, 1848
Syrphidae	<i>Cheilosia albitarsis</i> (Meigen, 1822)
Syrphidae	<i>Cheilosia antiqua</i> (Meigen, 1822)
Syrphidae	<i>Cheilosia chloris</i> (Meigen, 1822)
Syrphidae	<i>Cheilosia flavipes</i> (Panzer, 1798)
Syrphidae	<i>Cheilosia fraterna</i> (Meigen, 1830)
Syrphidae	<i>Cheilosia impressa</i> Loew, 1840
Syrphidae	<i>Cheilosia impudens</i> Becker, 1894
Syrphidae	<i>Cheilosia insignis</i> Loew, 1857
Syrphidae	<i>Cheilosia latifrons</i> (Zetterstedt, 1843)
Syrphidae	<i>Cheilosia mutabilis</i> (Fallén, 1817)
Syrphidae	<i>Cheilosia nigripes</i> (Meigen, 1822)
Syrphidae	<i>Cheilosia pagana</i> (Meigen, 1822)
Syrphidae	<i>Cheilosia personata</i> Loew, 1857
Syrphidae	<i>Cheilosia pubera</i> (Zetterstedt, 1838)
Syrphidae	<i>Cheilosia sahlbergi</i> (Lair et al., 2021)
Syrphidae	<i>Cheilosia scutellata</i> (Fallén, 1817)
Syrphidae	<i>Cheilosia soror</i> (Zetterstedt, 1843)
Syrphidae	<i>Cheilosia variabilis</i> (Panzer, 1798)
Syrphidae	<i>Cheilosia vernalis</i> (Fallén, 1817)
Syrphidae	<i>Cheilosia vulpina</i> (Meigen, 1822)
Syrphidae	<i>Chrysogaster coemeteriorum</i> (Linnaeus, 1758)
Syrphidae	<i>Chrysogaster solstitialis</i> (Fallén, 1817)
Syrphidae	<i>Chrysotoxum bicinctum</i> (Linnaeus, 1758)
Syrphidae	<i>Chrysotoxum elegans</i> Loew, 1841
Syrphidae	<i>Chrysotoxum festivum</i> (Van Steenis et al., 2020)
Syrphidae	<i>Chrysotoxum intermedium</i> (Meigen, 1822)
Syrphidae	<i>Chrysotoxum vernale</i> Loew, 1841
Syrphidae	<i>Chrysotoxum volaticum</i> Séguy, 1961
Syrphidae	<i>Claussenia hispanica</i> (Strobl, 1909)
Syrphidae	<i>Criorhina pachymera</i> (Egger, 1858)
Syrphidae	<i>Dasysyrphus albostrigatus</i> (Fallén, 1817)

Syrphidae	<i>Dasysyrphus venustus</i> (Meigen, 1822)
Syrphidae	<i>Epistrophe eligans</i> (Harris, 1780)
Syrphidae	<i>Epistrophe nitidicollis</i> (Meigen, 1822)
Syrphidae	<i>Episyrphus balteatus</i> (De Geer, 1776)
Syrphidae	<i>Eristalinus aeneus</i> (Scopoli, 1763)
Syrphidae	<i>Eristalinus sepulchralis</i> (Linnaeus, 1758)
Syrphidae	<i>Eristalinus taeniops</i> (Wiedemann, 1818)
Syrphidae	<i>Eristalis alpina</i> (Panzer, 1798)
Syrphidae	<i>Eristalis arbustorum</i> (Linnaeus, 1758)
Syrphidae	<i>Eristalis horticola</i> (De Geer, 1776)
Syrphidae	<i>Eristalis intricaria</i> (Linnaeus, 1758)
Syrphidae	<i>Eristalis jugorum</i> Egger, 1858
Syrphidae	<i>Eristalis nemorum</i> (Linnaeus, 1758)
Syrphidae	<i>Eristalis pertinax</i> (Scopoli, 1763)
Syrphidae	<i>Eristalis rupium</i> Fabricius, 1805
Syrphidae	<i>Eristalis tenax</i> (Linnaeus, 1758)
Syrphidae	<i>Eumerus amoenus</i> Loew, 1848
Syrphidae	<i>Eumerus flavitarsis</i> Zetterstedt, 1843
Syrphidae	<i>Eumerus ovatus</i> Loew, 1848
Syrphidae	<i>Eumerus strigatus</i> (Fallén, 1817)
Syrphidae	<i>Eumerus subornatus</i> Claussen, 1989
Syrphidae	<i>Eumerus tarsalis</i> Loew, 1848
Syrphidae	<i>Eupeodes bucculatus</i> (Rondani, 1857)
Syrphidae	<i>Eupeodes corollae</i> (Fabricius, 1794)
Syrphidae	<i>Eupeodes flaviceps</i> (Rondani, 1857)
Syrphidae	<i>Eupeodes latifasciatus</i> (Macquart, 1829)
Syrphidae	<i>Eupeodes lucasi</i> (Marcos-García & Láska, 1983)
Syrphidae	<i>Eupeodes luniger</i> (Meigen, 1822).
Syrphidae	<i>Eupeodes nielsini</i> (Lair et al., 2021)
Syrphidae	<i>Ferdinandea cuprea</i> (Scopoli, 1763)
Syrphidae	<i>Helophilus pendulus</i> (Linnaeus, 1758)
Syrphidae	<i>Helophilus trivittatus</i> (Fabricius, 1805)
Syrphidae	<i>Heringia heringi</i> (Zetterstedt, 1843)
Syrphidae	<i>Lapposyrphus lapponicus</i> (Zetterstedt, 1838)
Syrphidae	<i>Lejogaster metallina</i> (Fabricius, 1781)
Syrphidae	<i>Lejogaster tarsata</i> (Meigen, 1822)
Syrphidae	<i>Leucozoma glaucia</i> (Linnaeus, 1758)
Syrphidae	<i>Melangyna compositarum</i> (Verall, 1873)
Syrphidae	<i>Melangyna lasiophthalma</i> (Zetterstedt, 1843)
Syrphidae	<i>Melanogaster aerea</i> (Loew, 1843)
Syrphidae	<i>Melanostoma mellinum</i> (Linnaeus, 1758)
Syrphidae	<i>Melanostoma scalare</i> (Fabricius, 1794)
Syrphidae	<i>Meliscaeva auricollis</i> (Meigen, 1822)
Syrphidae	<i>Merodon albifrons</i> Meigen, 1822
Syrphidae	<i>Merodon avidus</i> (Rossi, 1790)
Syrphidae	<i>Merodon clavipes</i> (Fabricius, 1781)

Syrphidae	<i>Merodon equestris</i> (Fabricius, 1794)
Syrphidae	<i>Merodon escorialensis</i> Strobl, 1909
Syrphidae	<i>Merodon funestus</i> (Fabricius, 1794)
Syrphidae	<i>Merodon nigritarsis</i> Rondani, 1845
Syrphidae	<i>Merodon obscuritarsis</i> Strobl in Czerny, 1909
Syrphidae	<i>Merodon rufus</i> Meigen, 1838
Syrphidae	<i>Merodon unguicornis</i> Strobl, 1909
Syrphidae	<i>Merodon unicolor</i> Strobl in Czerny & Strobl, 1909
Syrphidae	<i>Microdon devius</i> (Linnaeus, 1761)
Syrphidae	<i>Microdon mutabilis</i> (Linnaeus, 1758)
Syrphidae	<i>Milesia crabroniformis</i> (Fabricius, 1775)
Syrphidae	<i>Milesia semiluctifera</i> (Villers, 1798)
Syrphidae	<i>Myathropa florea</i> (Linnaeus, 1758)
Syrphidae	<i>Neoascia podagrica</i> (Fabricius, 1775)
Syrphidae	<i>Neocnemodon brevidens</i> (Egger, 1865)
Syrphidae	<i>Neocnemodon vitripennis</i> (Meigen, 1822)
Syrphidae	<i>Orthonevra frontalis</i> (Loew, 1843)
Syrphidae	<i>Orthonevra nobilis</i> (Fallén, 1817)
Syrphidae	<i>Paragus albifrons</i> (Fallén, 1817)
Syrphidae	<i>Paragus bicolor</i> (Fabricius, 1794)
Syrphidae	<i>Paragus bradescui</i> Stănescu, 1981
Syrphidae	<i>Paragus cinctus</i> Schiner & Egger, 1853
Syrphidae	<i>Paragus haemorrhous</i> Meigen, 1822
Syrphidae	<i>Paragus pecchiolii</i> Rondani, 1857
Syrphidae	<i>Paragus quadrifasciatus</i> Meigen, 1822
Syrphidae	<i>Paragus strigatus</i> Meigen, 1822
Syrphidae	<i>Paragus tibialis</i> (Fallén, 1817)
Syrphidae	<i>Parasyrphus vittiger</i> (Zetterstedt, 1843)
Syrphidae	<i>Parhelophilus frutetorum</i> (Fabricius, 1775)
Syrphidae	<i>Pelecocera lusitanica</i> (Mik, 1898)
Syrphidae	<i>Pelecocera pruinosomaculata</i> Strobl, 1906
Syrphidae	<i>Pipiza bimaculata</i> Meigen, 1822
Syrphidae	<i>Pipiza festiva</i> Meigen, 1822
Syrphidae	<i>Pipiza noctiluca</i> Linnaeus, 1758
Syrphidae	<i>Pipizella bispina</i> Simić, 1987
Syrphidae	<i>Pipizella brevis</i> Lucas, 1977
Syrphidae	<i>Pipizella pennina</i> (Goeldlin, 1974)
Syrphidae	<i>Pipizella viduata</i> (Linnaeus, 1758)
Syrphidae	<i>Pipizella zeneggenensis</i> (Goeldlin, 1974)
Syrphidae	<i>Platycheirus albimanus</i> (Fabricius, 1781)
Syrphidae	<i>Platycheirus ambiguus</i> (Fallén, 1817)
Syrphidae	<i>Platycheirus fulviventris</i> (Macquart, 1829)
Syrphidae	<i>Platycheirus manicatus</i> (Meigen, 1822).
Syrphidae	<i>Platycheirus melanopsis</i> (Loew, 1856)
Syrphidae	<i>Platycheirus peltatus</i> (Meigen, 1822)
Syrphidae	<i>Platycheirus rosarum</i> (Fabricius, 1787)

Syrphidae	<i>Platycheirus scutatus</i> (Meigen, 1822)
Syrphidae	<i>Platynochaetus setosus</i> (Fabricius, 1794)
Syrphidae	<i>Riponnensia splendens</i> (Meigen, 1822)
Syrphidae	<i>Scaeva albomaculata</i> (Macquart, 1842)
Syrphidae	<i>Scaeva dignota</i> (Rondani, 1857)
Syrphidae	<i>Scaeva pyrastris</i> (Linnaeus, 1758)
Syrphidae	<i>Scaeva selenitica</i> (Meigen, 1822)
Syrphidae	<i>Sphaerophoria interrupta</i> (Fabricius, 1805)
Syrphidae	<i>Sphaerophoria laurae</i> Goeldlin, 1989
Syrphidae	<i>Sphaerophoria rueppelli</i> (Wiedemann, 1830)
Syrphidae	<i>Sphaerophoria scripta</i> (Linnaeus, 1758)
Syrphidae	<i>Sphaerophoria taeniata</i> (Meigen, 1822)
Syrphidae	<i>Sphegina cornifera</i> (Lair et al., 2021)
Syrphidae	<i>Sphegina varifacies</i> Kassebeer, 1991
Syrphidae	<i>Spilomyia digitata</i> (Rondani, 1865)
Syrphidae	<i>Spilomyia manicata</i> (Rondani, 1865)
Syrphidae	<i>Spilomyia saltuum</i> (Fabricius, 1794)
Syrphidae	<i>Syritta flaviventris</i> Macquart, 1842
Syrphidae	<i>Syritta pipiens</i> (Linnaeus, 1758)
Syrphidae	<i>Syrphus nitidifrons</i> Becker, 1921
Syrphidae	<i>Syrphus ribesii</i> (Linnaeus, 1758)
Syrphidae	<i>Syrphus vitripennis</i> Meigen, 1822
Syrphidae	<i>Triglyphus primus</i> (Ricarte y Nedeljkovic, 2020)
Syrphidae	<i>Volucella bombylans</i> (Linnaeus, 1758)
Syrphidae	<i>Volucella elegans</i> Loew, 1862
Syrphidae	<i>Volucella inanis</i> (Linnaeus, 1758)
Syrphidae	<i>Volucella pellucens</i> (Linnaeus, 1758)
Syrphidae	<i>Volucella zonaria</i> (Poda, 1761)
Syrphidae	<i>Xanthandrus comtus</i> (Harris, 1780)
Syrphidae	<i>Xanthogramma citrofasciatum</i> (de Geer, 1776)
Syrphidae	<i>Xanthogramma dives</i> (Rondani, 1857)
Syrphidae	<i>Xanthogramma laetum</i> (Fabricius, 1794)
Syrphidae	<i>Xanthogramma marginale</i> (Loew, 1854)
Syrphidae	<i>Xanthogramma pedissequum</i> (Harris, 1776)
Syrphidae	<i>Xylota florum</i> (Fabricius, 1805)
Syrphidae	<i>Xylota segnis</i> (Linnaeus, 1758)
Syrphidae	<i>Xylota sylvarum</i> (Linnaeus, 1758)